

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012974
DATE: 12/21/2015
CERTIFICATION PROGRAM: Structural
COMPANY: Continental Glass
CODE: 2103-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Continental Glass Systems, LLC 325 West 74 Place Hialeah, FL 33014	Series "2850" Aluminum Lift & Sliding Glass Door Configuration: XXXO Glazing: IG-1/4" Tempered Glass/Laminate-1/4" Heat Strengthened Glass/0.090" Dupont Sentryglas Plus Interlayer/1/4" Heat Strengthened Glass or Laminate-1/4" Heat Strengthened Glass/0.090" Dupont Sentryglas Plus Interlayer/1/4" Heat Strengthened Glass/1/4" Tempered Glass Frame: W-5131mm(202") H-3772mm(148.5") DLO: W-1118mm(44") H-3519mm(138.56")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: 7757 Pa (162 psf) Large Missile Impact Rated

Product Tested By: Blackwater Testing, Inc
Report No: BT-CON-15-014B
Expiration Date: November 30, 2019

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi" or similar, written over a horizontal line.

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122