

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI012134-R2  
**DATE:** 09/15/2014  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Eastern  
**CODE:** 1783-1  
**REVISION DATE:** 11/22/2014

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Eastern Architectural Systems</b> <b>10030 Bavaria Road</b> <b>Ft. Myers, FL 33913</b>	<b>Series "5000" Full Glazed Aluminum</b> <b>Outswing Single Side-Hinged Door w/Riser</b>  Configuration: X Glazing: Monolithic Laminate-3/16" Heat Strengthened Glass/0.090" SGP Interlayer by DuPont/3/16" Heat Strengthened Glass or IG-Ext-3/16" Tempered Glass/Laminate-3/16" Heat Strengthened Glass/0.090" SGP Interlayer by DuPont/3/16" Heat Strengthened Glass  Frame: W-991mm(39") H-2465mm(97.06") Panel: W-908mm(35.75") H-2388mm(94.03")

SPECIFICATION	PRODUCT RATING
<b>AAMA 506-08</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>ASTM E1886-05/E1996-09</b> <b>TAS 201/202/203-94</b>	<b>Design Pressure: ±4788 Pa (100 psf)</b> <b>Class LC-PG100 991 x 2465 (39 x 97)-SHD</b> <b>Wind Zone 4-Missile Level D</b> <b>Large Missile Impact Rated</b> <b>Water Penetration Resistance Test Pressure: 718 Pa(15 psf)</b>

Product Tested By: Certified Testing Laboratories, Inc.  
Report No: CTLA-3018WA/CTLA-3018WD  
Expiration Date: **April 30, 2018**

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122