

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012238-R2
DATE: 12/22/2014
CERTIFICATION PROGRAM: Structural
COMPANY: Panda
CODE: 1329-1
REVISION DATE: 01/20/2015

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Panda Windows and Doors 3415 Bellington Road North Las Vegas, NV 89030	<p style="text-align: center;">Series "IS-14 A/A & A/W"</p> <p style="text-align: center;">Lift & Slide 90° Corner Aluminum</p> <p style="text-align: center;">Sliding Glass Pocket Door</p> <p style="text-align: center;">Configuration: XXXXXX Glazing: Monolithic-1/4" Heat Strengthened Glass/0.090" DuPont Sentry Glass Plus/1/4" Heat Strengthened Glass or IG-1/4" Tempered Glass/1/4" Heat Strengthened Glass/0.090" DuPont Sentry Glass Plus/1/4" Heat Strengthened Glass</p> <p>Frame: W-5975mm(235.25") H-3740mm(147.25")</p> <p>Panel: W-1524mm(60.00") H-3657mm(144.00")</p> <p>DLO: W-1296mm(51.06") H-3430mm(135.06")</p>

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±4788 Pa (100 psf) Large Missile Impact Rated

Product Tested By: Architectural Testing, Inc.
 Report No: D7527.01-301-18
 Expiration Date: November 30, 2018

Administrator's Signature: _____

NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124/ Fax: (804) 684-5122