

AAMA CERTIFICATION PROGRAM

AUTHORIZATION FOR PRODUCT CERTIFICATION



MI Windows & Doors, LLC
P.O. Box 370
Gratz, PA 17030-0370

Attn: Rick Sawdey

This authorization is based on the successful completion of tests, and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.

SPECIFICATIONS		RECORD OF PRODUCT TESTED			
AAMA/WDMA/CSA 101/I.S.2/A440-08 R-PG55-1324x1819 (52x72)-H	AAMA 506				
COMPANY AND CODE	Missile Level: D Rating: +55/-55, 52x72 Wind Zone: 3	CPD NO.	SERIES MODEL & PRODUCT DESCRIPTION	MAXIMUM SIZE TESTED	
MI Windows & Doors, LLC Code: MTL	Rating above conforms to the requirements of: ASTM E1886 and E1996	13275	185 SH (FIN) (AL)(O/X)(OG) (0.090" PVB LAM GL) (ASTM)	<u>FRAME (mm)</u> 1324 x 1819 (4'4" x 6'0")	<u>SASH (mm)</u> 1295 x 914 (4'3" x 3'0")

This Certification will expire **October 8, 2023 (extended from October 8, 2018 per AAMA 103-15)** and requires validation until then by continued listing in the current AAMA Certified Products Directory.

Structural Test & Report By:

Architectural Testing, Inc.

Report No: **E1726.01-109-47**

Date of Report: **October 31, 2014 (Revised June 23, 2016)**


Missile Impact Test & Report By:

Architectural Testing, Inc.

Report No: **E1726.02-109-47**

Date of Report: **October 31, 2014 (Revised June 23, 2016)**

Evaluated for Certification: **September 12, 2018**


Associated Laboratories, Inc.

Authorized for Certification: **September 12, 2018**


American Architectural Manufacturers Association

JGSJTS

ACP-04 (Rev. 6/16)