



Hurd Windows & Doors
575 S. Whelen Ave.
Medford, WI 54451


Mfr#: 436

TEL:

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
436-H-523.27	Clad Energy Saver Direct Set 2-Wide (100"x72")-- Individual Unit Sizes of 50"x72"	101/I.S.2/A440-11	Class LC-PG50; Size Tested 1270mm trib width/1826mm span (50in trib width/72in span) Type-MA; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=Fixed	1270mm trib width	1826mm span	E0838.01-602-44	02/02/2015	09/01/2024
436-H-666.13	Monument 3-Wide Clad Horizontal Slider	101/I.S.2/A440-11	Class LC-PG40; Size Tested 3035mm x 1816mm (120x 72in) Type-HS; DP +40/-40 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	3035mm	1816mm	E2239.01-602-44	02/02/2015	11/03/2024

WDMA HEREBY CERTIFIES that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the standards. It is further certified that the plant(s), facilities, quality control procedures, methods and processes of Licensee have been inspected by WDMA, and are subject to regular follow-up inspection and test. It is further certified that samples of the products set forth above were tested and found to comply with the standards.

By:  **John McFee, VP of Certification Programs, WDMA Hallmark**

By:  **Rhonda Schotz, Authorized Representative, AMS**

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Services, Inc.
PO Box 730, 100 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com