

Hallmark® Certificate of Conformance and License (CCL)



Hurd Windows & Doors
575 S. Whelen Ave.
Medford, WI 54451

Mfr ID: 436

For more information visit www.amscert.com

Website:

TEL: (715) 748-1716

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
436-H-660.28	H3 Casement 36"x78"	101/I.S.2/A440-11	Class LC-PG50; Size Tested 905mm x 1972mm (36x78in) Type-C; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	905mm	1972mm	E2293.01-602-44	1/29/2015	10/31/2024
436-H-665.06	Primed Wood Awning 48x48 Mullled	101/I.S.2/A440-08	Class CW-PG50; Size tested 2451x1224mm (97x748in)-AP	2451mm	1224mm	ESP011560P-1335	11/20/2012	10/15/2016
436-H-665.07	Primed Wood Awning 48x48 Mullled	CSA A440 S1-09	Class CW-PG50; Size Tested 1226mm x 1224mm Type-AP; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	1226mm	1224mm	ESP011560P-1335 Rev.CS	8/6/2014	10/12/2016
436-H-666.10	Monument Clad Triple Slider Window 119"x59"	101/I.S.2/A440-11	Class CW-PG50; Size Tested 3029mm x 1508mm Type-HS; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	3029mm	1508mm	D6284.01-602-44	9/2/2014	6/16/2018
436-H-666.11	Monument Clad Sliding Window XOX	101/I.S.2/A440-08	Class LC-PG35-Size tested 3029x1507mm (119x59 in) - Type HS	3029mm	1507mm	ESP013533P-1434	8/20/2013	6/12/2017
436-H-666.12	Monument Clad Sliding Window XO	101/I.S.2/A440-11	Class CW-PG35; Size Tested 1816mm x 1816mm (72x72in) Type-HS; DP +35/-35 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	1816mm	1816mm	D8476.01-602-44	2/11/2015	9/3/2024
436-H-666.13	Monument 3-Wide Clad Horizontal Slider	101/I.S.2/A440-11	Class LC-PG40; Size Tested 3035mm x 1816mm (120x 72in) Type-HS; DP +40/-40 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	3035mm	1816mm	E2239.01-602-44	2/2/2015	11/3/2024
436-H-666.14	Monument Sliding Window XO	101/I.S.2/A440-11	Class CW-PG50; Size Tested 1816mm x 1207mm (72x48in) * Type-HS; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	1816mm	1207mm	D8655.01-602-44	2/26/2015	9/3/2024
436-H-667.02	Primed Wood Direct Set 98x84	101/I.S.2/A440-08	Class CW-PG40; Size tested 2489x2134 mm (98x84 in)-FW	2489mm	2134mm	ESP013235P-1421	6/14/2013	4/19/2017