

Hallmark® Certificate of Conformance and License (CCL)



Hurd Windows & Doors
575 S. Whelen Ave.
Medford, WI 54451

Mfr ID: 436

For more information visit www.amscert.com

Website:

TEL: (715) 748-1716

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
436-H-102.11	Clad Energy Saver Inswing Patio Door	ASTM E-330-02	SHED DP+50/-65	1902mm	2502mm	TCT006354P-1049	6/17/2011	4/12/2015
436-H-102.12	Clad Energy Saver Arch Inswing Door 6-4x8-3	101/I.S.2/A440-08	Class R-PG35; Size tested 1905x2499mm(75x98in)-SHD; Negative Design Pressure = 3360pa (70 psf)	1905mm	2499mm	TCT006862P-1077	11/23/2011	7/8/2015
436-H-102.13	Clad Energy Saver Arch Inswing Door 6-4x8-3	101/I.S.2/A440-05	SHD-R35; Negative Design Pressure = 3360pa (70 psf)	1905mm	2499mm	TCT006862P-1077	11/23/2011	7/8/2015
436-H-102.14	Clad Energy Saver Inswing Door 75"x99"	101/I.S.2/A440-11	Class LC-PG35; Size Tested 1905mmx2502mm (75x99in) Type-SHD; DP +35/-35 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A3	1905mm	2502mm	D5781.01-602-44	9/30/2014	9/8/2018
436-H-102.15	Clad Energy Saver Inswing 3-Wide Door XXO 112"x99"	101/I.S.2/A440-11	Class LC-PG25; Size Tested 2845mm x 2502mm (112x99in) Type-SHD; DP +25/-25 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A3	2845mm	2502mm	E0943.01-602-44	2/17/2015	9/30/2024
436-H-103.19	ES Clad Awn 48x48	101/I.S.2/A440-08	Class CW-PG50; Size Tested 2126x1226mm (48x48in)-AP	1226mm	1226mm	TCT006822P-1071	9/2/2011	6/1/2015
436-H-103.20	ES Clad Awn 48x48	101/I.S.2/A440-05	AP-C50	1226mm	1226mm	TCT006822P-1071	9/2/2011	6/1/2015
436-H-103.21	ES Clad Awn 60x32	101/I.S.2/A440-08	Class CW-PG50; Size Tested 1530x819mm (60x32in)-AP; Negative Design Pressure = 3120Pa (65psf)	1530mm	819mm	TCT006823P-1072	9/2/2011	5/26/2015
436-H-103.22	ES Clad Awn 60x32	101/I.S.2/A440-05	AP-C50; Negative Design Pressure = 3120Pa (65psf)	1530mm	819mm	TCT006823P-1072	9/2/2011	5/26/2015
436-H-103.23	Clad ES Awning 48x48	CSA A440 S1-09	Class CW-PG50; Size Tested 1226mm x 1226mm Type-AP; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	1226mm	1226mm	TCT006822P-1071 Rev. 1	8/6/2014	6/1/2015
436-H-103.24	Clad ES Awning 60x32	CSA A440 S1-09	Class CW-PG50; Size Tested 1530mm x 819mm Type-AP; DP +50/-65 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	1530mm	819mm	TCT006823P-1072 Rev. 1	8/7/2014	5/26/2015