



AAMA CERTIFICATION PROGRAM
An FGIA Product Certification Program

AUTHORIZATION FOR PRODUCT CERTIFICATION

MI Windows & Doors, LLC
P.O. Box 370
Gratz, PA 17030-0370

This authorization is based on the successful completion of tests, and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.

SPECIFICATION	RECORD OF PRODUCT TESTED		
AAMA/WDMA/CSA 101/I.S.2/A440-11 LC-PG50-2438x1524 (96x60)-FW Negative Design Pressure = -60 psf			
COMPANY AND CODE	CPD NO.	SERIES MODEL & PRODUCT DESCRIPTION	MAXIMUM SIZE TESTED
MI Windows & Doors, LLC Code: MTL	8816	3500 PW (FIN) (PVC)(O)(IG)(INS GL) (ASTM)	FRAME 2438 mm x 1524 mm (96" x 60")
Design Pressure (psf): +60/-60 (Pa): +2880/-2880		Water Test Pressure (psf): 7.52 (Pa): 360	

This Certification will expire **April 30, 2031 (extended from April 30, 2026)** and requires validation until then by continued listing in the current AAMA Certified Products Directory.


Product Tested and Reported by: **Architectural Testing, Inc.**

Report No.: **B9102.01-109-47**

Date of Report: **May 29, 2012**

Date Test Completed: **April 30, 2012**

Evaluated for Certification: **April 20, 2026**


Associated Laboratories, Inc.

Authorized for Certification: **April 20, 2026**


Fenestration and Glazing Industry Alliance
1900 East Golf Road Schaumburg, IL 60173



(Validator / Operations Administrator)



AAMA CERTIFICATION PROGRAM
An FGIA Product Certification Program

AUTHORIZATION FOR PRODUCT CERTIFICATION

MI Windows & Doors, LLC
P.O. Box 370
Gratz, PA 17030-0370

This authorization is based on the successful completion of tests, and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.

SPECIFICATION	RECORD OF PRODUCT TESTED		
AAMA/WDMA/CSA 101/I.S.2/A440-11 LC-PG50-2057x1600 (81x63)-FW			
COMPANY AND CODE	CPD NO.	SERIES MODEL & PRODUCT DESCRIPTION	MAXIMUM SIZE TESTED
MI Windows & Doors, LLC Code: MTL	8817	3500 PW (FIN) (PVC)(O)(IG)(INS GL) (ASTM)	<u>FRAME</u> 2057 mm x 1600 mm (81” x 63”)
Design Pressure (psf): +60/-60 (Pa): +2880/-2880		Water Test Pressure (psf): 7.52 (Pa): 360	

This Certification will expire **April 30, 2031 (extended from April 30, 2026)** and requires validation until then by continued listing in the current AAMA Certified Products Directory.


Product Tested and Reported by: **Architectural Testing, Inc.**

Report No.: **B9102.01-109-47**

Date of Report: **May 29, 2012**

Date Test Completed: **April 30, 2012**

Evaluated for Certification: **April 20, 2026**


Associated Laboratories, Inc.

Authorized for Certification: **April 20, 2026**


Fenestration and Glazing Industry Alliance
1900 East Golf Road Schaumburg, IL 60173



(Validator / Operations Administrator)



AAMA CERTIFICATION PROGRAM
An FGIA Product Certification Program

AUTHORIZATION FOR PRODUCT CERTIFICATION

MI Windows & Doors, LLC
P.O. Box 370
Gratz, PA 17030-0370

This authorization is based on the successful completion of tests, and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.

SPECIFICATION	RECORD OF PRODUCT TESTED		
AAMA/WDMA/CSA 101/I.S.2/A440-11 LC-PG50-2438x1829 (96x72)-FW Negative Design Pressure = -55 psf			
COMPANY AND CODE	CPD NO.	SERIES MODEL & PRODUCT DESCRIPTION	MAXIMUM SIZE TESTED
MI Windows & Doors, LLC Code: MTL	8818	3500 PW (FIN) (PVC)(O)(IG)(INS TEMP GL) (ASTM)	<u>FRAME</u> 2438 mm x 1829 mm (96" x 72")
Design Pressure (psf): +60/-55 (Pa): +2880/-2640		Water Test Pressure (psf): 7.52 (Pa): 360	

This Certification will expire **April 30, 2031 (extended from April 30, 2026)** and requires validation until then by continued listing in the current AAMA Certified Products Directory.

Product Tested and Reported by: **Architectural Testing, Inc.**


Report No.: **B9102.01-109-47**

**NOTE: ALL CERTIFIED WINDOWS MUST BE GLAZED WITH
TEMPERED GLASS.**

Date of Report: **May 29, 2012**

Date Test Completed: **April 30, 2012**

Evaluated for Certification: **April 20, 2026**


Associated Laboratories, Inc.

Authorized for Certification: **April 20, 2026**


Fenestration and Glazing Industry Alliance
1900 East Golf Road Schaumburg, IL 60173



(Validator / Operations Administrator)



AAMA CERTIFICATION PROGRAM
An FGIA Product Certification Program

AUTHORIZATION FOR PRODUCT CERTIFICATION

MI Windows & Doors, LLC
P.O. Box 370
Gratz, PA 17030-0370

This authorization is based on the successful completion of tests, and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.

SPECIFICATION	RECORD OF PRODUCT TESTED		
AAMA/WDMA/CSA 101/I.S.2/A440-11 LC-PG50-1829x1524 (72x60)-FW Negative Design Pressure = -75 psf			
COMPANY AND CODE	CPD NO.	SERIES MODEL & PRODUCT DESCRIPTION	MAXIMUM SIZE TESTED
MI Windows & Doors, LLC Code: MTL	8819	3500 PW (FIN) (PVC)(O)(IG)(INS GL) (ASTM)	<u>FRAME</u> 1829 mm x 1524 mm (72" x 60")
Design Pressure (psf): +75/-75 (Pa): +3600/-3600		Water Test Pressure (psf): 7.52 (Pa): 360	

This Certification will expire **April 30, 2031 (extended from April 30, 2026)** and requires validation until then by continued listing in the current AAMA Certified Products Directory.


Product Tested and Reported by: **Architectural Testing, Inc.**

Report No.: **B9102.01-109-47**

Date of Report: **May 29, 2012**

Date Test Completed: **April 30, 2012**

Evaluated for Certification: **April 20, 2026**


Associated Laboratories, Inc.

Authorized for Certification: **April 20, 2026**


Fenestration and Glazing Industry Alliance
1900 East Golf Road Schaumburg, IL 60173



(Validator / Operations Administrator)



AAMA CERTIFICATION PROGRAM
An FGIA Product Certification Program



AUTHORIZATION FOR PRODUCT CERTIFICATION

MI Windows & Doors, LLC
P.O. Box 370
Gratz, PA 17030-0370

Attn: Rick Sawdey

This authorization is based on the successful completion of tests, and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.

SPECIFICATION	RECORD OF PRODUCT TESTED		
AAMA/WDMA/CSA 101/I.S.2/A440-11 LC-PG35-2054x1597 (81x63)-FW			
COMPANY AND CODE	CPD NO.	SERIES MODEL & PRODUCT DESCRIPTION	MAXIMUM SIZE TESTED
MI Windows & Doors, LLC Code: MTL	11986	3500 PW (FINLESS) (PVC)(O)(IG)(INS GL) (ASTM)	<u>FRAME</u> 2054 mm x 1597 mm (6'9" x 5'3")


This Certification will expire **November 18, 2027 (extended from November 18, 2022 per AAMA 103-19)** and requires validation until then by continued listing in the current AAMA Certified Products Directory.

Product Tested and Reported by: **Architectural Testing, Inc.**


Report No.: **D3210.01-109-47**

Date of Report: **January 22, 2014**

Evaluated for Certification: **August 25, 2022**


Associated Laboratories, Inc.

Authorized for Certification: **August 25, 2022**


Fenestration and Glazing Industry Alliance



(Validator / Operations Administrator)

ACP-04 (Rev. 2/20)



AAMA CERTIFICATION PROGRAM
An FGIA Product Certification Program

AUTHORIZATION FOR PRODUCT CERTIFICATION

MI Windows & Doors, LLC
P.O. Box 370
Gratz, PA 17030-0370

This authorization is based on the successful completion of tests, and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.

SPECIFICATION	RECORD OF PRODUCT TESTED		
AAMA/WDMA/CSA 101/I.S.2/A440-11 LC-PG50-1524x2438 (60x96)-FW			
COMPANY AND CODE	CPD NO.	SERIES MODEL & PRODUCT DESCRIPTION	MAXIMUM SIZE TESTED
MI Windows & Doors, LLC Code: MTL	14844	3500 PW (FINLESS) (PVC)(O)(IG)(INS GL) (ASTM)	<u>FRAME</u> 1524 mm x 2438 mm (60" x 96")

This Certification will expire **October 8, 2030 (extended from October 8, 2025 per AAMA 103-19)** and requires validation until then by continued listing in the current AAMA Certified Products Directory.


Product Tested and Reported by: **Intertek-ATI**

Report No.: **F1910.01-109-47**

Date of Report: **January 15, 2016**

Date Test Completed: **October 8, 2015**

Evaluated for Certification: **September 22, 2025**


Associated Laboratories, Inc.

Authorized for Certification: **September 22, 2025**


Fenestration and Glazing Industry Alliance
1900 East Golf Road Schaumburg, IL 60173



(Validator / Operations Administrator)