

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016461.08
DATE: 01/09/2025
CERTIFICATION PROGRAM: Structural
COMPANY: Silverline
CODE: 3108-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Silverline Building Products 5020 Weston Parkway Cary, NC 27513	Series "2900/4900" 2901/4901 Vinyl Single Hung Window (Fin) Configuration: O/X Glazing: Insulating Glass (Annealed) Frame: W-1321mm(52") H-1829mm(72") Sash: W-1254mm(49.38") H-902mm(35.50") DLO: W-1191mm(46.88") H-838mm(33")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08	Class R-PG25 1321 x 1829 (52 x 72)-H Design Pressure: ± 1200 Pa (± 25 psf) Water Penetration Resistance Test Pressure: 150 Pa (3.76 psf)

Product Tested By: Architectural Testing, Inc.
Report No: D9957.01-109-47
Expiration Date: **December 31, 2028**

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com