NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI016461.11**
DATE:	**01/09/2025**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Silverline**
CODE:	**3108-1**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Silverline Building Products **5020 Weston Parkway** **Cary, NC 27513**	**Series "2900/4900" 2901/4901** **Vinyl Single Hung Window** **(Fin)** Configuration: O/X Glazing: Insulating Glass (Annealed) Frame: W-965mm(38") H-1880mm(74") Sash: W-897mm(35.31") H-927mm(36.50") DLO: W-835mm(32.88") H-864mm(34")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	**Class LC-PG50 965 x 1880* (38 x 74*)-H** **Design Pressure: ±2400 Pa (±50 psf)** **Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)**

Product Tested By: Intertek, PLC
Report No: E5612.01-109-47/D9359.01-109-47
Expiration Date: **December 31, 2028**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com