

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016463.03
DATE: 01/13/2025
CERTIFICATION PROGRAM: Structural
COMPANY: Silverline
CODE: 3108-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Silverline Building Products 5020 Weston Parkway Cary, NC 27513	Series "2900/4900" 2903/4903/ 2910/4910/2920/4920/2930/4930 Vinyl Triple Single Hung Window (Fin) Configuration: O/XO/XO/X Glazing: Insulating Glass (Annealed) Frame: W-2737mm(107.75") H-1575mm(62") Sash: W-854mm(33.63") H-775mm(30.50") DLO: W-794mm(31.25") H-711mm(28")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/IS.2/A440-11	Class R-PG35 2737 x 1575* (108 x 62*)-H Design Pressure: ±1680 Pa (35 psf) Positive Design Pressure: 2400 Pa (50 psf) Negative Design Pressure: 2400 Pa (50 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52psf)

Product Tested By: Intertek, PLC
Report No: E9223.01-109-47/D9359.01-109-47
Expiration Date: December 31, 2028

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023