

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013033.05  
DATE: 03/07/2016  
CERTIFICATION PROGRAM: Structural  
COMPANY: Continental Glass  
CODE: 2103-1

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Continental Glass Systems, LLC</b> <b>325 West 74 Place</b> <b>Hialeah, FL 33014</b>	<b>Series "200"</b> <b>Aluminum Curtain Wall System</b>  Configuration: OOO/OOO Glazing: Laminate-1/4" Heat Strengthened Glass/0.060" PVB Interlayer/1/4" Heat Strengthened Glass  Frame: W-2819mm(111") H-4515mm(177.75") DLO: W-838mm(33") H-3099mm(122")

SPECIFICATION	PRODUCT RATING
<b>ASTM E283-04/E330-02/E331-00</b> <b>AAMA 501-05</b> <b>TAS 201/202/203-94</b>	<b>Design Pressure: 4788 Pa (100 psf)</b> <b>Small Missile Impact Rated</b>

Product Tested By: Blackwater Testing, Inc  
Report No: BT-CON-15-015  
Expiration Date: January 31, 2019

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122