

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012911-R4
DATE: 10/15/2015
CERTIFICATION PROGRAM: Structural
COMPANY: Atrium
CODE: 2187-1
REVISION DATE: 02/17/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Atrium Companies, Inc. 9001 Ambassador Row Dallas, TX 75247	Series "8100/1100/3100/10/1000/200" Vinyl Single Hung Window w/Finless Installation Configuration: O/X Glazing: Insulating Glass (Annealed) Frame: W-1219mm(48") H-1981mm(78") Sash: W-1133mm(44.63") H-965mm(38") DLO: W-1080mm(42.5") H-895mm(35.31")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08	Class LC-PG30 1219 x 1981 (48 x 78)-H Design Pressure: ±1440 Pa (30 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)

Product Tested By: Architectural Testing, Inc.
Report No: D9519.01-801-47/W-2009
Expiration Date: July 31, 2030

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023