

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013150.02-R4
DATE: 04/26/2016
CERTIFICATION PROGRAM: Structural
COMPANY: Atrium
CODE: 2187-1
REVISION DATE: 11/20/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Atrium Companies, Inc. 300 Welcome Center Blvd. Welcome, NC 27374	Series "5700/105/8050/3050/5/900/1050" Triple Vinyl Single Hung Window w/Fin Installation Configuration: O/XO/XO/X Glazing: Insulating Glass (Annealed) Frame: W-2743mm(108") H-1829mm(72") Sash: W-1175mm(33.75") H-1070mm(36.19") DLO: W-843mm(33.19") H-838mm(33")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class LC-PG50 2743 x 1829* (108 x 72*)-H H-LC50 2743 x 1829* (108 x 72*) Design Pressure: ±2400 Pa (50 psf) Water Penetration Resistance Test Pressure: 360Pa (7.52 psf)

Product Tested By: Architectural Testing, Inc.
Report No: C6697.01-801-44/C6699.01-801-47/W-2009
Expiration Date: **April 30, 2030**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023