NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI013150.05-R4**
DATE:	**04/26/2016**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Atrium**
CODE:	**2187-1**
REVISION DATE:	**11/25/2025**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Atrium Companies, Inc. **300 Welcome Center Blvd.** **Welcome, NC 27374**	**Series "5700/105/8050/3050/5/900/1050"** **Twin Vinyl Single Hung Window** **w/Finless Installation** Configuration: O/XO/X Glazing: Insulating Glass (Annealed) Frame: W-2438mm(96") H-1829mm(72") Sash: W-1168mm(46") H-921mm(36.25") DLO: W-1145mm(45.06") H-838mm(38.94")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 **AAMA/WDMA/CSA 101/I.S.2/A440-11** **AAMA/WDMA/CSA 101/I.S.2/A440-08** **AAMA/WDMA/CSA 101/I.S.2/A440-05**	**Class LC-PG35 2438 x 1829 (96 x 72)-H** **H-LC35 2438 x 1829 (96 x 72)** **Design Pressure: ±1676 Pa (35 psf)** **Water Penetration Resistance Test Pressure: 360Pa (7.52 psf)**

Product Tested By: Architectural Testing, Inc.
Report No: C6698.01-801-44/C6699.01-801-47/W-2009
Expiration Date: **April 30, 2030**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com