

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013150.08-R4
DATE: 04/26/2016
CERTIFICATION PROGRAM: Structural
COMPANY: Atrium
CODE: 2187-1
REVISION DATE: 11/25/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Atrium Companies, Inc. 300 Welcome Center Blvd. Welcome, NC 27374	Series "5700/105/8050/3050/5/900/1050" Vinyl Single Hung Window w/Fin Installation Configuration: O/X Glazing: Insulating Glass (Annealed) Frame: W-1219mm(48") H-2438mm(96") Sash: W-1172mm(46.13") H-1064mm(41.88") DLO: W-1153mm(45.38") H-1303mm(51.31")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class LC-PG25 1219 x 2438 (48 x 96)-H H-LC25 1219 x 2438 (48 x 96) Design Pressure: ±1200 Pa (25 psf) Water Penetration Resistance Test Pressure: 360Pa (7.52 psf)

Product Tested By: Architectural Testing, Inc.
Report No: C6699.01-801-47/W-2009
Expiration Date: April 30, 2030

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023