

Hallmark® Certificate of Conformance and License (CCL)



ANDERSEN CORPORATION
100 4th Avenue North
Bayport, MN 55003-1096

Mfr ID: 129
For more Information visit www.amscert.com
Website:
TEL:

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
129-H-828.29	400 Series Woodwright Double Hung Window/WA3862 IG	101/I.S.2/A440-11	Class LC-PG30; Size Tested 46.0 in x 76.0 in; DP +30/-30 psf	1159mm	1953mm	B7836.01-201-44	4/28/2016	5/8/2022

WDMA HEREBY CERTIFIES that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected by WDMA, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By: John McFee John McFee, VP of Certification Programs, WDMA Hallmark

By: Rhonda Schotz Rhonda Schotz, Authorized Representative, AMS

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com