

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013071-R5
DATE: 03/25/2016
CERTIFICATION PROGRAM: Structural
COMPANY: Atrium
CODE: 2187-1
REVISION DATE: 09/05/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Atrium Companies, Inc. 300 Welcome Center Blvd. Welcome, NC 27374	Series "8900/90/8000/1800/3900" Mulled Vinyl Triple Fixed Window w/Finless Installation Configuration: OOO Glazing: Insulating Glass (Annealed) Frame: W-2772mm(109.13") H-1880mm(74") Fixed: W-914mm(36") H-1880mm(74") DLO: W-779mm(30.69") H-1745mm(68.7")

SPECIFICATION	PRODUCT RATING
AAMA 450-10/20 AAMA/WDMA/CSA 101/I.S.2/A440-22 AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05	Applied Rating: R50 Mulled Fenestration Rating: R50 Overall Mulled Size: 2772 x 1880 (109 x 74) Individual Tested Size: Class R-PG50 1219 x 2134 (48 x 84)-FW Design Pressure: ±2400 Pa (50 psf) Water Penetration Resistance Test Pressure: 440 Pa (9.19 psf)

Product Tested By: Architectural Testing, Inc.
Report No: B8806.01-801-47/B8805.01-801-47(Gateway)/W-2009
Expiration Date: **March 31, 2029**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023