

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013078.03-R4
DATE: 03/29/2016
CERTIFICATION PROGRAM: Structural
COMPANY: Atrium
CODE: 2187-1
REVISION DATE: 09/05/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Atrium Companies, Inc. 300 Welcome Center Blvd. Welcome, NC 27374	Series "120/130" Vinyl Horizontal Sliding Window w/Fin Installation Configuration: XOX Glazing: Insulating Glass (Annealed) Frame: W-2743mm(108") H-1600mm(63") Vent: W-897mm(35.31") H-1541mm(60.69") DLO: W-829mm(32.63") H-1472mm(57.94")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-22 AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class LC-PG30 2743 x 1600 (108 x 63)-HS HS-LC30 2743 x 1600 (108 x 63) Design Pressure: ±1440 Pa (30 psf) Water Penetration Resistance Test Pressure: 290 Pa (6.06 psf)

Product Tested By: Architectural Testing, Inc.
Report No: D5172.01-801-47/W-2009
Expiration Date: March 31, 2029

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com

NOPC-03/30/2023