

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012962.04-R4
DATE: 12/10/2015
CERTIFICATION PROGRAM: Structural
COMPANY: Atrium
CODE: 2187-1
REVISION DATE: 03/03/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Atrium Companies, Inc. 9001 Ambassador Row Dallas, TX 75247	Series "8700/1600/3500/80/6000" Muller Triple Vinyl Double Hung Window w/Finless Installation Configuration: X/X//X/X//X/X Glazing: Insulating Glass (Annealed) Frame: W-2769mm(109") H-1880mm(74") Sash: W-843mm(33.19") H-927mm(36.5") DLO: W-752mm(29.63") H-835mm(32.88")

SPECIFICATION	PRODUCT RATING
AAMA 450-10 AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08	Applied Rating: LC50 Muller Fenestration Rating: LC50 Class LC-PG50 2769 x 1880 (109 x 74)-H Design Pressure: ±2400 Pa (50 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)

Product Tested By: Architectural Testing, Inc.
Report No: D9512.01-801-47/D9513.01-801-47(Gateway)/W-1996
Expiration Date: July 31, 2029

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "MD" or similar, written over a horizontal line.

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023