

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013073.04-R4
DATE: 03/28/2016
CERTIFICATION PROGRAM: Structural
COMPANY: Atrium
CODE: 2187-1
REVISION DATE: 09/05/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Atrium Companies, Inc. 300 Welcome Center Blvd. Welcome, NC 27374	Series "450/455/460/465" Vinyl Double Hung Window w/Fin Installation Configuration: X/X Glazing: Insulating Glass (Annealed) Frame: W-914mm(36") H-1880mm(74") Sash: W-837mm(32.94") H-927mm(36.56") DLO: W-746mm(29.38") H-837mm(32.94")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-22 AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class LC-PG35 914 x 1880* (36 x 74*)-H H-LC35 914 x 1880* (36 x 74*) Design Pressure: ±1680 Pa (35 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)

Product Tested By: Architectural Testing, Inc.
Report No: D3235.01-801-47/W-2009
Expiration Date: March 31, 2029

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023