

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013061  
DATE: 03/15/2016  
CERTIFICATION PROGRAM: Structural  
COMPANY: Eurostyle  
CODE: 1959-1

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Eurostyle Impact Windows &amp; Doors, LLC</b> <b>1036 Northeast 43 Court</b> <b>Oakland Park, FL 33334</b>	<b>Series "700"</b> <b>Single Hung Impact Rated Window</b>  (Wet Glazed) Configuration: O/X  Glazing: IG-Ext-Laminate-1/8" Annealed Glass/ 0.090" Interlayer by Kurary/1/8" Annealed Glass/ Int-1/8" Tempered Glass  Frame: W-1372mm(54")    H-1930mm(76") Sash:    W-1295mm(51")    H-940mm(37")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure: +60/-60 psf</b> <b>Large Missile Impact Rated</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-3726-4  
Expiration Date: **March 31, 2021**

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122