


NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013293-R3
DATE: 07/06/2016
CERTIFICATION PROGRAM: Structural
COMPANY: Sun-Tek
CODE: 225-1
REVISION DATE: 02/03/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Sun-Tek Manufacturing, Inc. 10303 General Drive Orlando, FL 32824	Series "IFGC 4949" Vinyl/Aluminum Flush Mounted Skylight Configuration: O Glazing: IG-3/16" Tempered Glass/1/8" Annealed Glass/0.090" Kuraray Butacite PVB Interlayer/1/8" Annealed Glass Frame: W-1397mm(55") H-1397mm(55") DLO: W-1162mm(45.75") H-1162mm(45.75")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ± 2873 Pa (60 psf) Water Penetration Resistance Test Pressure: 431 Pa (9.00 psf) Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-4017-01A
Expiration Date: March 31, 2028

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

nami@namiinc.com

NOPC-03/30/2023