

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013430.03  
**DATE:** 11/28/2016  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Continental Glass  
**CODE:** 2103-1

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p><b>Continental Glass Systems, LLC</b>   <b>325 West 74 Place</b>   <b>Hialeah, FL 33014</b></p>	<p><b>Series "3000"</b>   <b>Aluminum Window Wall System</b>   <b>w/177° Mullion, Standard Head</b></p> <p>Configuration: OOO/O                      Glazing: Monolithic Laminate-1/4"Tempered Glass/0.060" Eastman Saflex PVB Interlayer/1/4" Tempered Glass or 1/4"Heat Strengthened Glass/0.060" Eastman Saflex PVB Interlayer/1/4" Heat Strengthened Glass</p> <p>Frame:   W-3886mm(141")    H-3038mm(119.63")                      DLO:     W-1105mm(43.5")   H-2886mm(113.63")</p>

SPECIFICATION	PRODUCT RATING
<p><b>TAS 201/202/203-94</b></p>	<p><b>Design Pressure: 5266 Pa (110 psf)</b>  <b>Small Missile Impact Rated</b></p>

Product Tested By: Fenestration Testing Laboratory, Inc  
 Report No: FTL 4728/BT-CON-16-007/W-1793  
 Expiration Date: **November 30, 2020**

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
 MANAGEMENT INSTITUTE, INC.**  
 4794 George Washington Memorial Highway  
 Hayes, VA 23072  
 Tel: (804) 684-5124/ Fax: (804) 684-5122