

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013430.05
DATE: 11/28/2016
CERTIFICATION PROGRAM: Structural
COMPANY: Continental Glass
CODE: 2103-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p>Continental Glass Systems, LLC</p> <p>325 West 74 Place</p> <p>Hialeah, FL 33014</p>	<p style="text-align: center;">Series "3000"</p> <p style="text-align: center;">Aluminum Window Wall System</p> <p style="text-align: center;">w/177° Mullion, Standard Head</p> <p style="text-align: center;">Configuration: OOO/O Glazing: Monolithic Laminate-1/4"Tempered Glass/0.060" Eastman Saflex PVB Interlayer/1/4" Tempered Glass or 1/4"Heat Strengthened Glass/0.060" Eastman Saflex PVB Interlayer/1/4" Heat Strengthened Glass</p> <p>Frame: W-3886mm(153") H-3038mm(119.63")</p> <p>DLO: W-1207mm(47.5") H-2886mm(113.63")</p>

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: 4788 Pa (100 psf) Small Missile Impact Rated

Product Tested By: Fenestration Testing Laboratory, Inc
 Report No: FTL 4728/BT-CON-16-007/W-1793
 Expiration Date: **November 30, 2020**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
 MANAGEMENT INSTITUTE, INC.**
 4794 George Washington Memorial Highway
 Hayes, VA 23072
 Tel: (804) 684-5124/Fax: (804) 684-5122