



AAMA CERTIFICATION PROGRAM
An FGIA Product Certification Program



AUTHORIZATION FOR PRODUCT CERTIFICATION

MI Windows & Doors, LLC
P.O. Box 370
Gratz, PA 17030-0370

Attn: Rick Sawdey

This authorization is based on the successful completion of tests and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.

SPECIFICATIONS		RECORD OF PRODUCT TESTED			
AAMA/WDMA/CSA 101/I.S.2/A440-11 LC-PG50*-1854x1219 (73x48)-HS	AAMA 506				
COMPANY AND CODE	Missile Level: D Rating: +50/-50, 73x48 Wind Zone: 3	CPD NO.	SERIES MODEL & PRODUCT DESCRIPTION	MAXIMUM SIZE TESTED	
MI Windows & Doors, LLC Code: MTL	Rating above conforms to requirements of: ASTM E1886 and E1996	16708	1630 HS (FIN, FLANGE, & FINLESS) (PVC)(OX)(OG) (INS 0.090" PVB LAM GL) (MODIF)(REINF)(ASTM)	<u>FRAME (mm)</u> 1854 x 1219 (6'1" x 4'0")	<u>SASH (mm)</u> 930 x 1137 (3'1" x 3'9")

This Certification will expire **April 26, 2027 (extended from April 26, 2022 per AAMA 103-19)** and requires validation until then by continued listing in the current AAMA Certified Products Directory.

Structural Test & Report By:

Intertek-ATI

Report No: **H0463.01-109-47**

Date of Report: **June 12, 2017**


Missile Impact Test & Report By:

Intertek-ATI

Report No: **H0463.02-109-47**

Date of Report: **June 13, 2017**

Evaluated for Certification: **March 10, 2022**


Associated Laboratories, Inc.

Authorized for Certification: **March 10, 2022**


Fenestration and Glazing Industry Alliance



(Validator / Operations Administrator)



AAMA CERTIFICATION PROGRAM
An FGIA Product Certification Program

AUTHORIZATION FOR PRODUCT CERTIFICATION

MI Windows & Doors, LLC
P.O. Box 370
Gratz, PA 17030-0370

This authorization is based on the successful completion of tests and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.

SPECIFICATIONS		RECORD OF PRODUCT TESTED			
AAMA/WDMA/CSA 101/I.S.2/A440-17 LC-PG50-1880x1600 (74x63)-HS	AAMA 506				
COMPANY AND CODE	Missile Level: D Rating: +50/-50, 74x63 Wind Zone: 3	CPD NO.	SERIES MODEL & PRODUCT DESCRIPTION	MAXIMUM SIZE TESTED	
MI Windows & Doors, LLC Code: MTL	Rating above conforms to requirements of: ASTM E1886 and E1996	21888	1630 HS (FIN) (PVC)(OX)(OG) (INS 0.090" PVB LAM GL) (MODIF)(REINF)(ASTM)	<u>FRAME (mm)</u> 1880 x 1600 (74" x 63")	<u>SASH (mm)</u> 933 x 1518 (37" x 60")

This Certification will expire **September 2, 2027 (extended from March 27, 2025 per AAMA 103-19)** and requires validation until then by continued listing in the current AAMA Certified Products Directory.

Structural Test & Report By:

Molimo, LLC

Report No: **27142.05-106-12 & 2385.03-106-12; ref. 2276.02-106-12**

Date of Reports: **November 9, 2023; June 11, 2020; April 21, 2020**

Date Tests Completed: **July 20, 2023; May 13, 2020; March 27, 2020**

Missile Impact Test & Report By:


Molimo, LLC

Report No: **27142.05-106-12 & 11766.02-106-12**

Date of Reports: **November 9, 2023; September 23, 2022**

Date Tests Completed: **July 20, 2023; September 2, 2022**

Evaluated for Certification: **February 11, 2025**


Associated Laboratories, Inc.

Authorized for Certification: **February 11, 2025**


Fenestration and Glazing Industry Alliance
1900 East Golf Road Schaumburg, IL 60173



(Validator / Operations Administrator)



AAMA CERTIFICATION PROGRAM
An FGIA Product Certification Program

AUTHORIZATION FOR PRODUCT CERTIFICATION

MI Windows & Doors, LLC
P.O. Box 370
Gratz, PA 17030-0370

This authorization is based on the successful completion of tests and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.

SPECIFICATIONS		RECORD OF PRODUCT TESTED			
AAMA/WDMA/CSA 101/I.S.2/A440-17 LC-PG50-2794x1600 (110x63)-HS	AAMA 506				
COMPANY AND CODE	Missile Level: D Rating: +50/-50, 110x63 Wind Zone: 3	CPD NO.	SERIES MODEL & PRODUCT DESCRIPTION	MAXIMUM SIZE TESTED	
MI Windows & Doors, LLC Code: MTL	Rating above conforms to requirements of: ASTM E1886 and E1996	21465	1630 HS (FIN) (PVC)(XOX)(OG) (INS 0.090" PVB LAM GL) (MODIF)(REINF)(ASTM)	<u>FRAME (mm)</u> 2794 x 1600 (110" x 63")	<u>SASH (mm)</u> 933 x 1518 (37" x 60")

This Certification will expire **September 2, 2027 (extended from March 27, 2025 per AAMA 103-19)** and requires validation until then by continued listing in the current AAMA Certified Products Directory.

Structural Test & Report By:

Molimo, LLC

Report No: **27142.05-106-12 & 2385.03-106-12; ref. 2276.02-106-12**

Date of Reports: **November 9, 2023; June 11, 2020; April 21, 2020**

Date Tests Completed: **July 20, 2023; May 13, 2020; March 27, 2020**

Missile Impact Test & Report By:


Molimo, LLC

Report No: **27142.05-106-12 & 11766.02-106-12**

Date of Reports: **November 9, 2023; September 23, 2022**

Date Tests Completed: **July 20, 2023; September 2, 2022**

Evaluated for Certification: **January 28, 2025**


Associated Laboratories, Inc.

Authorized for Certification: **January 28, 2025**


Fenestration and Glazing Industry Alliance
1900 East Golf Road Schaumburg, IL 60173



(Validator / Operations Administrator)



AAMA CERTIFICATION PROGRAM

An FGIA Product Certification Program

AUTHORIZATION FOR PRODUCT CERTIFICATION

MI Windows & Doors, LLC
P.O. Box 370
Gratz, PA 17030-0370

This authorization is based on the successful completion of tests and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.

SPECIFICATIONS		RECORD OF PRODUCT TESTED			
AAMA/WDMA/CSA 101/I.S.2/A440-17 LC-PG50-2794x1600 (110x63)-HS	AAMA 506				
COMPANY AND CODE	Missile Level: D Rating: +50/-50, 110x63 Wind Zone: 3	CPD NO.	SERIES MODEL & PRODUCT DESCRIPTION	MAXIMUM SIZE TESTED	
MI Windows & Doors, LLC Code: MTL	Rating above conforms to requirements of: ASTM E1886 and E1996	20383	1630 HS (FLANGE & FINLESS) (PVC)(XOX)(OG) (INS 0.090" PVB LAM GL) (MODIF)(REINF)(ASTM)	<u>FRAME (mm)</u> 2794 x 1600 (110" x 63")	<u>SASH (mm)</u> 930 x 1521 (37" x 60")

This Certification will expire **September 2, 2027 (extended from March 27, 2025 per AAMA 103-19)** and requires validation until then by continued listing in the current AAMA Certified Products Directory.

Structural Test & Report By:

Molimo, LLC

Report No: **2385.03-106-12; ref. 2276.02-106-12**

Date of Reports: **June 11, 2020; April 21, 2020**

Date Tests Completed: **May 13, 2020; March 27, 2020**

Missile Impact Test & Report By:


Molimo, LLC

Report No: **11766.02-106-12**

Date of Report: **September 23, 2022 (Revised June 19, 2023)**

Date Test Completed: **September 2, 2022**

Evaluated for Certification: **January 30, 2025**


Associated Laboratories, Inc.

Authorized for Certification: **January 30, 2025**


Fenestration and Glazing Industry Alliance
1900 East Golf Road Schaumburg, IL 60173



(Validator / Operations Administrator)

ACP-14 (Rev. 5/24)



AAMA CERTIFICATION PROGRAM

An FGIA Product Certification Program

AUTHORIZATION FOR PRODUCT CERTIFICATION

MI Windows & Doors, LLC
P.O. Box 370
Gratz, PA 17030-0370

This authorization is based on the successful completion of tests and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.

SPECIFICATIONS		RECORD OF PRODUCT TESTED			
AAMA/WDMA/CSA 101/I.S.2/A440-17 LC-PG50-1880x1600 (74x63)-HS	AAMA 506				
COMPANY AND CODE	Missile Level: D Rating: +50/-50, 74x63 Wind Zone: 3	CPD NO.	SERIES MODEL & PRODUCT DESCRIPTION	MAXIMUM SIZE TESTED	
MI Windows & Doors, LLC Code: MTL	Rating above conforms to requirements of: ASTM E1886 and E1996	20538	1630 HS (FLANGE & FINLESS) (PVC)(OX)(OG) (INS 0.090" PVB LAM GL) (MODIF)(REINF)(ASTM)	<u>FRAME (mm)</u> 1880 x 1600 (74" x 63")	<u>SASH (mm)</u> 930 x 1521 (37" x 60")

This Certification will expire **September 2, 2027 (extended from March 27, 2025 per AAMA 103-19)** and requires validation until then by continued listing in the current AAMA Certified Products Directory.

Structural Test & Report By:

Molimo, LLC

Report No: **Waiver; ref. 2385.03-106-12; ref. 2276.02-106-12**

Date of Reports: **June 11, 2020; April 21, 2020**

Date Tests Completed: **May 13, 2020; March 27, 2020**

Missile Impact Test & Report By:


Molimo, LLC

Report No: **Waiver; ref. 11766.02-106-12**

Date of Report: **September 23, 2022 (Revised June 19, 2023)**

Date Test Completed: **September 2, 2022**

Evaluated for Certification: **January 30, 2025**


Associated Laboratories, Inc.

Authorized for Certification: **January 30, 2025**


Fenestration and Glazing Industry Alliance
1900 East Golf Road Schaumburg, IL 60173



(Validator / Operations Administrator)

ACP-14 (Rev. 5/24)