

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013877.13-R3
DATE: 01/18/2018
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1
REVISION DATE: 01/16/2021

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	Series "Aurora Custom" Glazed Full Lite Fiberglass In-Swing Side-Hinged Door Assembly Configuration: XX Glazing: Insulating Glass (Tempered) Frame: W-2490mm(98.06") H-3092mm(121.75") Panel: W-1245mm(49") H-3017mm(118.75") DLO: W-983mm(38.69") H-2734mm(107.63")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 CSA A400S1-09	Class LC PG50 2490 x 3092 (98 x 122) LW-SHD Design Pressure: 2400 Pa (50 psf) Positive Design Pressure: 2400 Pa (50 psf) Negative Design Pressure: 3120 Pa (65 psf) Water Penetration Resistance Test Pressure: 0 Pa (0 psf) Canadian Air Infiltration/Exfiltration Level: A3

Product Tested By: Intertek Group, PLC
Report No: H8907.08-301-47-R1/H5873.02-301-47/W-1880
Expiration Date: January 31, 2030

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122