

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013674.03-R3
DATE: 04/03/2017
CERTIFICATION PROGRAM: Structural
COMPANY: Comfort View
CODE: 2111-1
REVISION DATE: 04/01/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Comfort View Products, LLC 320 Coweta Industrial Park Building 7, Suite C-1 Newnan, GA 30265	Series "901/951" Vinyl Fixed Window Configuration: O Glazing: Insulating Glass (Annealed) Frame: W-1118mm(44") H-1829mm(72") DLO: W-991mm(39") H-1702mm(67")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class CW-PG60 1118 x 1829* (44 x 72*)-FW FW-C60 1118 x 1829* (44 x 72*) Design Pressure: ±2880 Pa (60 psf) Water Penetration Resistance Test Pressure: 580 Pa (12.11 psf)

Product Tested By: Architectural Testing, Inc.
Report No: E8069.02-501-47
Expiration Date: May 31, 2036

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "S. D." or similar, written over a horizontal line.

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023