

AUTHORIZATION FOR PRODUCT CERTIFICATION

Simonton Windows
1 Cochrane Dr.
Pennsboro, WV 26415

Attn: Tina Seese

This authorization is based on the successful completion of tests, and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.

SPECIFICATIONS		RECORD OF PRODUCT TESTED			
AAMA/WDMA/CSA 101/I.S.2/A440-08 R-PG55-762x1651 (30x65)-C	AAMA 506				
COMPANY AND CODE	Missile Level: D Rating: +55/-55, 30x65 Wind Zone: 4	CPD NO.	SERIES MODEL & PRODUCT DESCRIPTION	MAXIMUM SIZE TESTED	
Simonton Windows Code: SIM	Rating above conforms to the requirements of: ASTM E1886 and E1996	11480	08-09/08-20 STORM BREAKER PLUS CASEMENT (PVC)(X)(OG) (INS PVB LAM GL) (MODIF)(ASTM)	<u>FRAME (mm)</u> 762 x 1651 (2'6" x 5'5")	<u>SASH (mm)</u> 718 x 1601 (2'4" x 5'3")

This Certification will expire **June 4, 2022 (extended from June 4, 2017 per AAMA 103-15)** and requires validation until then by continued listing in the current AAMA Certified Products Directory.

Structural Test & Report By:

Architectural Testing, Inc.

Report No: **C9011.01-501-47**

Date of Report: **June 27, 2013**


Missile Impact Test & Report By:

Architectural Testing, Inc.

Report No: **D7966.01-109-47; ref. D0959.01-501-47**

Date of Report: **June 9, 2014; September 19, 2013**

Evaluated for Certification: **February 7, 2017**


 Associated Laboratories, Inc.

Authorized for Certification: **February 7, 2017**


 American Architectural Manufacturers Association