



KOLBE WINDOWS & DOORS
1211 Depot Street
Manawa, WI 54949

Mfr#: 416

TEL:

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
416-H-1040.03	Forgent Horizontal Sliding Window (fin/clip/screw install), IPD4 (R&D 16155/56/57)	101/I.S.2/A440-11	Class LC-PG50; Size Tested 1816mm x 1511mm Type-HS; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	1816mm	1511mm	QCT17-4429.01-R1	05/31/2018	04/11/2028
416-H-1040.04	Forgent Horizontal Sliding Window (fin/clip/screw install), IPD4 (R&D 16155/56/57)	101/I.S.2/A440-08	Class LC-PG50; Size Tested 1816mm x 1511mm Type-HS; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	1816mm	1511mm	QCT17-4429.01-R1	05/31/2018	04/11/2028
416-H-1040.06	Forgent Horizontal Sliding Window (fin/clip/screw install), IPD4 (R&D 16155/56/57)	ASTM E-1996 12/ASTM E-1886 13a	DP +50/-50 psf, Missile D, Wind Zone 4	1816mm	1511mm	QCT17-4429.01-R1	05/31/2018	04/11/2028

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the products set forth above were tested and found to comply with the standards.

By: John McFee **John McFee, VP of Certification Programs, WDMA Hallmark**

By: Rhonda Schotz **Rhonda Schotz, Authorized Representative, AMS**

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Services, Inc.
205 West Main Street, PO Box 730
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com