

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013311-R3
DATE: 07/21/2016
CERTIFICATION PROGRAM: Structural
COMPANY: Simpson
CODE: 1145-1
REVISION DATE: 12/16/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Simpson Door Company 400 Simpson Ave. McCleary, WA 98557	Series "7721" Wood Fixed Transom Window Configuration: OOO Glazing: IG-1/8" Tempered Glass/1/8" Annealed Glass/0.090 Kuraray Butacite PVB Interlayer/1/8" Annealed Glass Frame: W-3772mm(148.5") H-953mm(37.5") DLO: W-1683mm(66.19") H-765mm(30.19")

SPECIFICATION	PRODUCT RATING
ASTM E283-04/E547-00/E330-02 ASTM E1886-05/E1996-09	Design Pressure: ± 2400 Pa (50 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.5 psf) Wind Zone 4 - Missile Level D

Product Tested By: Construction Consulting Laboratory, International
Report No: CCLI-16-026
Expiration Date: March 31, 2031

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "MD".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023