

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013947.01-R1  
DATE: 01/24/2018  
CERTIFICATION PROGRAM: Structural  
COMPANY: JELD-WEN  
CODE: 1822-1  
REVISION DATE: 03/17/2021

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

| COMPANY NAME AND ADDRESS                                                            | PRODUCT DESCRIPTION                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>JELD-WEN</b><br><b>3737 Lakeport Boulevard</b><br><b>Klamath Falls, OR 97601</b> | <b>Series "Aurora Custom" Fiberglass</b><br><b>In-Swing &amp; Out-Swing Transom</b><br><br>Configuration: O<br>Glazing: Insulated Glass (Tempered)<br><br>Frame: W-2492mm(98.13") H-1321mm(52")<br>DLO: W-2423mm(95.38") H-1257mm(49.5") |

| SPECIFICATION                                                                                            | PRODUCT RATING                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b><br><b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b><br><b>CSA A440S1-17</b> | <b>Class LC-PG50 2492 x 1321 (98 x 52)-TR</b><br><b>Design Pressure: 2400 Pa (50 psf)</b><br><b>Positive Design Pressure: 2400 Pa (50 psf)</b><br><b>Negative Design Pressure: 3120 Pa (65 psf)</b><br><b>Water Penetration Resistance Test Pressure: 580 Pa (12.11 psf)</b><br><b>Canadian Air Infiltration/Exfiltration Level: Fixed</b> |

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-110-17-148  
Expiration Date: November 30, 2026

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122