

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011183-R4
DATE: 07/09/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Eastern
CODE: 1783-1
REVISION DATE: 10/16/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Eastern Architectural Systems 16341 Domestic Avenue Ft. Myers, FL 33912	Series "142" Vinyl Fin Frame or Equal Leg Frame Impact Rated Fixed Window Configuration: O Glazing: IG-1/8" Annealed Glass/Laminate- 1/8" Annealed Glass/0.090" Eastman Chemical PVB Interlayer/1/8" Annealed Glass Frame: W-1270mm(50") H-1600mm(63") DLO: W-1143mm(45") H-1473mm(58")

SPECIFICATION	PRODUCT RATING
AAMA 506-08 ASTM E1886-05/E1996-06 AAMA/WDMA/CSA 101/I.S.2/A440-05	Design Pressure: +55/-55 psf Wind Zone 4-Missile Level D FW-R80 1270 x 1600 (50 x 63)

Product Tested By: Element Materials Technology
Report No: ESP 2088W/ESP 2008W-1
Expiration Date: **March 31, 2027**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shu".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023