

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013954.27  
DATE: 01/27/2026  
CERTIFICATION PROGRAM: Structural  
COMPANY: Eastern Arch  
CODE: 1783-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS                                                                                   | PRODUCT DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eastern Architectural Systems</b><br><br><b>16341 Domestic Avenue</b><br><br><b>Ft. Myers, FL 33912</b> | <b>Series "650.650 Multi-Slide/Pocket Door"</b><br><br><b>Vinyl Sliding Glass Door</b><br><br>Configuration: OXXO<br>Glazing: Insulating Glass-Ext-3/16" Tempered<br>Glass/Laminate-3/16" Annealed Glass/0.090" Trosifol PVB<br>Interlayer by Kuraray/3/16" Annealed Glass<br><br>Frame: W-5029mm(198") H-2438mm(96")<br><br>Panel: W-1276mm(50.25") H-2356mm(92.75")<br><br>DLO: W-1054mm(41.50") H-2140mm(84.25") |

| SPECIFICATION             | PRODUCT RATING                                                                                                                                                                                                                                                                                      |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>TAS 201/202/203-94</b> | <b>Design Pressure: <math>\pm 2880</math> Pa (<math>\pm 60</math> psf)</b><br>Water Penetration Resistance Test Pressure: 576 Pa (12.0 psf)<br>(w/3.785" Sill Riser)<br>Water Penetration Resistance Test Pressure: 504 Pa (10.5 psf)<br>(w/3.285" Sill Riser)<br><b>Large Missile Impact Rated</b> |

Product Tested By: Molimo, LLC  
Report No: 32300.01-106-13/NCTL-210-4092-01A  
Expiration Date: January 31, 2030

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023