

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013310.03-R3  
DATE: 09/24/2018  
CERTIFICATION PROGRAM: Structural  
COMPANY: Nan Ya  
CODE: 661-1  
REVISION DATE: 06/19/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS                                                                       | PRODUCT DESCRIPTION                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Nan Ya Plastics Corporation USA</b><br><b>4016 Shadrack St.</b><br><b>Houston, TX 77013</b> | <b>Series "SLPS" Outswing Glazed</b><br><b>Fiberglass Side-Hinged Patio Door</b><br><b>(w/Sill Riser)</b><br><br>Configuration: OXX/O<br>Glazing: IG-1/8" Tempered Glass/1/8" Tempered Glass/0.090" Kuraray PVB Interlayer/1/8" Tempered Glass<br><br>Frame: W-3720mm(146.44") H-2469mm(97.19")<br>Panel: W-908mm(35.75") H-2419mm(95.25")<br>DLO: W-635mm(25") H-2007mm(79") |

| SPECIFICATION             | PRODUCT RATING                                                                                                                                         |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>TAS 201/202/203-94</b> | <b>Design Pressure: ±2400 Pa (50 psf)</b><br><b>Water Penetration Resistance Test Pressure: 504 Pa (10.5 psf)</b><br><b>Large Missile Impact Rated</b> |

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-4112-04  
Expiration Date: July 31, 2036

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "MD".

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023