NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI014134-R3**
DATE:	**06/15/2018**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Nan Ya**
CODE:	**661-1**
REVISION DATE:	**06/19/2026**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Nan Ya Plastics Corporation USA **4016 Shadrack St.** **Houston, TX 77013**	**Series "Gliding Patio Door" Fiberglass Sliding Glass Door** Configuration: X/O Glazing: Insulating Glass (Tempered) Frame: W-1810mm(71.25") H-2019mm(79.5") Panel: W-908mm(35.75") H-1945mm(76.56") DLO: W-635mm(25") H-1900mm(63")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 **CSA A440S1-09**	**Class R-PG50 1810 x 2019 (71 x 80)-SD** **Design Pressure: ±2400 Pa (50 psf)** **Water Penetration Resistance Test Pressure: 360 Pa (7.5 psf)** **Canadian Air Infiltration/Exfiltration Level: A2**

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-4103-09
Expiration Date: **March 31, 2036**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com