

# Hallmark® Certificate of Conformance and License (CCL)



**AMS, INC.**  
Administrative Management  
Systems, Inc.

Weather Shield Mfg. Inc.  
1 Weathershield Plaza  
PO Box 309  
PO Box 309  
Medford, WI 54451-0309

**Mfr ID:** 449

*For more Information visit [www.amscert.com](http://www.amscert.com)*


**Website:** [www.weathershield.com](http://www.weathershield.com)

**TEL:** 715-748-2100

| <b>Product No.</b> | <b>Product Name</b>                                              | <b>Standard</b>                | <b>Rating</b>                                                                                                                                                        | <b>Wide</b>         | <b>High</b>               | <b>Test Report #</b>     | <b>CertDate</b> | <b>ExpDate</b> |
|--------------------|------------------------------------------------------------------|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|---------------------------|--------------------------|-----------------|----------------|
| 449-H-074.19       | Premium Coastal Double Hung (1104/1105) with Transom (1110/1111) | 101/I.S.2/A440-11              | Class LC-PG55; Size Tested 1207mm (47.5") Span x 1740mm (68.5" Trib Width) Type-MA; DP +55/-70 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3 | 1207mm (47.5") Span | 1740mm (68.5" Trib Width) | ESP024264P-2079.1        | 10/31/2018      | 5/23/2027      |
| 449-H-074.21       | Premium Coastal Double Hung (1104/1105) with Transom (1110/1111) | ASTM E-1996 12/ASTM E-1886 13a | DP +55/-70 psf, Missile D, Wind Zone 3                                                                                                                               | 1207mm (47.5") Span | 1740mm (68.5" Trib Width) | ESP024264P-2079.1 Rev. B | 10/31/2018      | 5/23/2027      |

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

**By:**  **John McFee, VP of Certification Programs, WDMA Hallmark**

**By:**  **Lucas L. Wenzel, Authorized Representative, AMS**

Program Sponsor:  
Window and Door Manufacturers Assoc  
330 N. Wabash Avenue, Suite 2000  
Chicago, IL 60611  
TEL (312)673-4828 [www.wdma.com](http://www.wdma.com)

Program Administrator:  
Administrative Management Systems, Inc.  
PO Box 730, 205 West Main  
Sackets Harbor, NY 13685  
TEL (315)646-2234 [staff@amscert.com](mailto:staff@amscert.com)