

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014231.31-R2
DATE: 10/23/2018
CERTIFICATION PROGRAM: Structural
COMPANY: Wincore
CODE: 1640-1
REVISION DATE: 02/12/2020

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wincore Window Company, LLC 250 Staunton Turnpike Parkersburg, VA 26104	Glazed Inswing Fiberglass Doors w/Sidelites "Non-Impact" Configuration: OXXO Glazing: Insulating Glass (Tempered) Frame: W-2972mm(117") H-2464mm(97") Panel: W-1060mm(41.75") H-2419mm(95.25") DLO: W-536mm(21.13") H-2010mm(79.13")

SPECIFICATION	PRODUCT RATING
ASTM E330-02/14	Design Pressure: ± 2155 Pa (45 psf) Positive Design Pressure: 2155 Pa (45 psf) Negative Design Pressure: 2394 Pa (50 psf) Qualifies Configurations: O/X/XO/OX/OXO/XX/OXX/XXO/OXXO

Product Tested By: Testing Evaluation Laboratories, Inc.
Report No: TEL 02801798/W-1926
Expiration Date: September 30, 2024

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122