NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI013685.08-R4**
DATE:	**04/17/2017**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**JELD-WEN**
CODE:	**1822-1**
REVISION DATE:	**06/25/2025**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN **3737 Lakeport Boulevard** **Klamath Falls, OR 97601**	**Series "Mastergrain Entry Door"** **Architectural Fiberglass Opaque Outswing** **Side-Hinged Door w/CHS Sidelites** **Configuration: OXXO** Glazing: IG-1/8" Tempered Glass/1/8" Annealed Glass/0.090" Saflex PVB Interlayer/1/8" Annealed Glass Frame: W-3791mm(149.25") H-2461mm(96.88") Panel: W-908mm(35.75") H-2413mm(95") DLO: W-521mm(20.5") H-1988mm(78.25")

SPECIFICATION	PRODUCT RATING
ASTM E330-02/E331-00/E283-04 **ASTM E1886-05** **ASTM E1996-09**	**Design Pressure: 2394 Pa (50 psf)** **Negative Design Pressure: 2394 Pa (50 psf)** **Water Penetration Resistance Test Pressure: 287 Pa (6 psf)** **Wind Zone 4 - Missile Level D**

Product Tested By: Testing Evaluation Laboratories, Inc.
Report No: TEL 01681715/W-1849
Expiration Date: **April 30, 2032**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com