

Hallmark® Certificate of Conformance and License (CCL)




AMS, INC.
Administrative Management
Systems, Inc.

Weather Shield Mfg. Inc.
1 Weathershield Plaza
PO Box 309
PO Box 309
Medford, WI 54451-0309

Mfr ID: 449
For more Information visit www.amscert.com
Website: www.weathershield.com
TEL: 715-748-2100

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
449-H-110.06	8219 Casement 36x84 (2-wide) with 8306 Direct Set 36x42 (2-wide) - Horizontal Mull	101/I.S.2/A440-11	Class LC-PG25; Size Tested 1594mm trib. width/1807mm span (71 in. x 126in.) Type-MA; DP +25/-25 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	1594mm trib width	1807mm span	ESP027675P-2261	4/2/2018	3/12/2028
449-H-110.07	8219 Casement 36x84 (2-wide) with 8306 Direct Set 36x42 (2-wide) - Vertical Mull	101/I.S.2/A440-11	Class LC-PG25; Size Tested 1594mm trib. width/1807mm span (71 in. x 126 in.) Type-MA; DP +25/-25 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	1594mm	1807mm	ESP027675P-2261	4/2/2018	3/12/2028
449-H-110.08	8219 Casement 36x84 (2-wide) with 8306 Direct Set 36x42 (2-wide) - Horizontal Mull	AAMA 450-10	Class LC-PG25; Size Tested 1594mm trib. width/1807mm span (62.75 in. trib. width/71.13 in. span) Type-MA; DP +25/-25 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	1594mm trib width	1807mm span	ESP027675P-2261	4/2/2018	3/12/2028
449-H-110.09	8219 Casement 36x84 (2-wide) with 8306 Direct Set 36x42 (2-wide) - Vertical Mull	AAMA 450-10	Class LC-PG25; Size Tested 1594mm trib. width/1807mm span (62375 in. trib. width x 71.13 in. span) Type-MA; DP +25/-25 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	1594mm	1807mm	ESP027675P-2261	4/2/2018	3/12/2028

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  **John McFee, VP of Certification Programs, WDMA Hallmark**

By:  **Lucas L. Wenzel, Authorized Representative, AMS**

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com