

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016194.01-R1
DATE: 05/20/2024
CERTIFICATION PROGRAM: Structural
COMPANY: Renaissance
CODE: 2592-1
REVISION DATE: 07/23/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Renaissance Windows & Doors, Inc. 13340 International Parkway Jacksonville, FL 32218	Series "8700" Vinyl Single Hung Window (Nail Fin Frame) Configuration: O/X Glazing: Insulating Glass (Annealed) Frame: W-1372mm(54") H-1930mm(76") Sash: W-1303mm(51.31") H-889mm(35") DLO: W-1224mm(48.19") H-810mm(31.88")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17	Class R-PG35 1372 x 1930 (54 x 76)-H Design Pressure: ±1680 Pa (±35 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)

Product Tested By: PRI Construction Materials Technologies, LLC
Report No: 2616T0005
Expiration Date: **March 31, 2028**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023