

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014557.05-R4
DATE: 12/02/2019
CERTIFICATION PROGRAM: Structural
COMPANY: Pella
CODE: 1735-1
REVISION DATE: 04/20/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Pella Corporation 102 Main Street Pella, IA 50219	Series "Pella Entry Doors" Impact Flush Glazed Fiberglass Out-Swing Door w/Impact Sidelights & Composite Frame Configuration: OXXO Glazing: IG- 1/8" Tempered Glass/1/8" Heat Strengthened Glass/0.090" Solutia Saflex Interlayer/1/8" Heat Strengthened Glass Frame: W-3785mm(149") H-2054mm(80.88") Panel: W-908mm(35.75") H-2007mm(79") DLO: W-635mm(25") H-1600mm(63")

SPECIFICATION	PRODUCT RATING
ASTM E330-02/14 ASTM E1886-05/12/13a ASTM E1996-09/12a/14a/17	Design Pressure: +50/-50 psf Missile Level D

Product Tested By: American Test Lab, Inc.
Report No: ATLNC 0303.01-15/ATLNC 0609.01-15/W-1977/W-2163
Expiration Date: May 31, 2031

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

**4794 George Washington Memorial Highway
Hayes, VA 23072**

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023