

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014620-R4
DATE: 01/08/2020
CERTIFICATION PROGRAM: Structural
COMPANY: Pella
CODE: 1735-1
REVISION DATE: 04/20/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Pella Corporation 102 Main Street Pella, IA 50219	Series "Pella Entry Doors" Opaque Fiberglass In-Swing Door w/Non-Impact Rated Sidelites & Composite Frame Configuration: OXXO Glazing: Insulating Glass (Tempered) Frame: W-3785mm(149") H-2074mm(81.63") Panel: W-908mm(35.75") H-2006mm(79") DLO: W-533mm(21") H-1600mm(63")

SPECIFICATION	PRODUCT RATING
ASTM E330-02/14 ASTM E1886-05/12/13a ASTM E1996-09/12a/14a/17*	Design Pressure: +50/-50 psf Missile Level D

* Door Only

Product Tested By: American Test Lab, Inc.
Report No: ATLNC 0831.01-16/ATLNC 0901.02-16/W-1977/W-2163
Expiration Date: May 31, 2031

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

**4794 George Washington Memorial Highway
Hayes, VA 23072**

Tel: (804) 684-5124

Email: nami@namiinc.com

NOP C-03/30/2023