

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014533.03-R1
DATE: 10/17/2019
CERTIFICATION PROGRAM: Structural
COMPANY: Renaissance
CODE: 2592-1
REVISION DATE: 08/21/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Renaissance Windows & Doors, Inc. 13340 International Parkway Jacksonville, FL 32218	Series "8400" Vinyl Sliding Glass Door (Fin or Frame Installation) Configuration: OXXO Glazing: Insulating Glass (Tempered) Frame: W-3607mm(142") H-2030mm(79.94") Panel: W-905mm(35.63") H-1963mm(77.25") DLO: W-791mm(31.13") H-1853mm(72.94")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08	Class R-PG25 3607 x 2030 (142 x 80)-SD Design Pressure: ±1200 Pa (±25 psf) Water Penetration Resistance Test Pressure: 220 Pa (4.60 psf)

Product Tested By: Architectural Testing, Inc.
Report No: D4937.01-901-44/W-1859
Expiration Date: **October 31, 2027**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com