

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014823-R3
DATE: 04/20/2020
CERTIFICATION PROGRAM: Structural
COMPANY: Fortress Screen
CODE: 2631-1
REVISION DATE: 04/01/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Fortress Screens, LLC 2251 Topline Way Brooksville, FL 34604	Series "28OP/Egress" Operable Aluminum Framed Impact Screen Configuration: X Screen Fabric: 304 Stainless Steel Frame: W-1638mm (64.5") H-3747mm (147.5") Panel: W-1549mm (61") H-3632mm (143") DLO: W-1435mm (56.5") H-3543mm (139.5")

SPECIFICATION	PRODUCT RATING
TAS 202-94 (Structural Only) TAS 201/203-94	Design Pressure: +47/-60 psf Large Missile Impact Rated

Product Tested By: Certified Testing Laboratories, Inc.
Report No: CTLA-1366W
Expiration Date: April 30, 2027

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "MD".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023