

Hallmark® Certificate of Conformance and License (CCL)



AMS, INC.
Administrative Management
Systems, Inc.

Weather Shield Mfg. Inc.
1 Weathershield Plaza
PO Box 309
PO Box 309
Medford, WI 54451-0309

Mfr ID: 449


For more Information visit www.amscert.com


Website: www.weathershield.com

TEL: 715-748-2100

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
449-H-099.06	1606 Premium Coastal Outswing Side Hinged French Door (ADA Sill) 7-0 x 10-0 Call-out (Rectangle & Eyebrow). Insulated Glass (IG) or Monolithic Single Glaze Glass (SG); Full lite or raised panel inserts.	TAS 201/202/203-94	DP +60/-60 psf, Missile D, Wind Zone 4	2115 mm	3011 mm	ESP025891P-2188 Rev. D	1/30/2018	7/14/2027
449-H-099.07	1606 Premium Coastal Outswing Side Hinged French Door (ADA Sill) 7-0 x 10-0 Call-out (Rectangle & Eyebrow). Insulated Glass (IG) or Monolithic Single Glaze Glass (SG); Full lite or raised panel inserts.	ASTM E-1996 12/ASTM E-1886-05	DP +60/-60 psf, Missile D, Wind Zone 4	2115 mm	3011 mm	ESP025891P-2188 Rev D,ESP028942P-2342 Rev B & QCT 16-4149.01-R1	1/30/2018	7/14/2027
449-H-099.14	1606 Premium Coastal Outswing Side Hinged French Door (ADA Sill) 7-0 x 10-0 Call-out (Rectangle & Eyebrow). Insulated Glass (IG) or Monolithic Single Glaze Glass (SG); Full lite or raised panel inserts.	101/I.S.2/A440-11	Class LC-PG60; Size Tested 2115mm (83.25") x 3011 mm (118-9/16") Type-LW-SHD; DP +60/-60 psf; Water Test Press 0Pa (0.00psf); Can. Air Infil/Exfil. Level=A3	2115mm (83.25")	3011 mm (118-9/16")	ESP025891P-2188 Rev D,ESP028942P-2342 Rev B & QCT 16-4149.01-R1	8/6/2018	7/14/2027

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  *John McFee, VP of Certification Programs, WDMA Hallmark*

By:  *Lucas L. Wenzel, Authorized Representative, AMS*

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com