# NOTICE OF PRODUCT CERTIFICATION

| | |
|---|---|
| **CERTIFICATION NO:** | **NI013915.01-R2** |
| **DATE:** | **12/27/2017** |
| **CERTIFICATION PROGRAM:** | **Structural** |
| **COMPANY:** | **ViWinTech** |
| **CODE:** | **583-1** |
| **REVISION DATE:** | **01/04/2021** |

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|---|
| **ViWinTech Windows & Doors**<br>**2400 Irvin Cobb Drive**<br>**Paducah, KY 42003** | **Series "Grand Vista Sliding Door"**<br>**Vinyl Sliding Door**<br><br>Configuration: XXXX<br>(3.785" Sill Riser)<br>Glazing: Insulating Glass (Tempered)<br>Frame: W-5029mm(198") H-2438mm(96")<br>Panel: W-1276mm(50.25") H-2356mm(92.75")<br>DLO: W-1054mm(41.5") H-2140mm(84.25") |

| SPECIFICATION | PRODUCT RATING |
|---|---|
| **AAMA/WDMA/CSA 101/I.S.2/A440-11**<br>**AAMA/WDMA/CSA 101/I.S.2/A440-08** | **Class LC-PG75 5029 x 2435 (198 x 96)-SD**<br>**Design Pressure: ±3591 Pa (75 psf)**<br>**Water Penetration Resistance Test Pressure: 576 Pa (12.0 psf)** |

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-4093-01 (Spec 2)
Expiration Date: **March 31, 2026**

Administrator's Signature: _____


**NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.**
**4794 George Washington Memorial Highway**
**Hayes, VA 23072**
**Tel: (804) 684-5124**
**Fax: (804) 684-5122**