

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015129
DATE: 12/15/2020
CERTIFICATION PROGRAM: Structural
COMPANY: Sunset Windows
CODE: 2348-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Sunset Windows and Doors, LLC 910 Warehouse Road, Unit 110104 Orlando, FL 32803	Series "50F Capped Curtain Wall" Aluminum Curtain Wall Configuration: O/OO/OO Glazing: Insulated Glass (Tempered) Frame: W-3658mm(144") H-3048mm(120") DLO: W-1152mm(45.36") H-2946mm(116")

SPECIFICATION	PRODUCT RATING
AAMA 501-15 ASTM E283-04(12) ASTM E330-14 ASTM E331-00(09)	Design Pressure: ± 2880 Pa (± 60 psf) Water Penetration Resistance Level: 960 Pa (20.00 psf)

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-4197-1A
Expiration Date: December 31, 2024

Administrator's Signature: 

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122