

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016488
DATE: 02/10/2025
CERTIFICATION PROGRAM: Structural
COMPANY: Silverline
CODE: 3108-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Silverline Building Products 5020 Weston Parkway Cary, NC 27513	Series "1570" Impact Vinyl Casement Window Configuration: X Glazing: IG-Ext. 1/8" Annealed Glass/Int.-3/32" Annealed Glass/0.090" Butacite PVB Interlayer/3/32" Annealed Glass Frame: W-914mm(36") H-1829mm(72") Vent: W-864mm(34") H-1778mm(70") DLO: W-737mm(29") H-1651mm(65")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 ASTM 1886-13a ASTM 1996-14a TAS 201/202/203-94	Class CW-PG50 914 x 1829 (36 x 72)-C Design Pressure: ±2400 Pa (±50 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf) Missile Level D - Wind Zone 4 Large Missile Impact Rated

Product Tested By: Intertek, PLC.
Report No: F1333.07-109-18/F1333.06-109-18/F1333.08-109-18
Expiration Date: **January 31, 2029**

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com