

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015148-R1
DATE: 01/25/2021
CERTIFICATION PROGRAM: Structural
COMPANY: Eastern Arch
CODE: 1783-1
REVISION DATE: 01/07/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Eastern Architectural Systems 16341 Domestic Avenue Ft. Myers, FL 33912	Series "4500" Impact Vinyl Out-swing French Door Configuration: XX Glazing: IG-3/16" Tempered Glass/3/16" Annealed Glass/0.090" DuPont SentryGlas Plus Interlayer/3/16" Annealed Glass Frame: W-1880mm(74") H-2489mm(98") Panel: W-940mm(37") H-2413mm(95") DLO: W-648mm(25.5") H-2172mm(85.5")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-05 ASTM E1886-02/05 ASTM E1996-02-05 TAS 201/202/203-94	SHD-C65 1880 x 2489 (74 x 98) Design Pressure: ± 3120 Pa (± 65 psf) Water Penetration Resistance Test Pressure: 720 Pa (15 psf) Wind Zone 4 - Missile Level D Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories, Inc.
Report No: NCTL-210-3739-1/NCTL-210-3739-1A
Expiration Date: January 31, 2027

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023